

# United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/05/2001	Kenneth John Molee	53394.000525	1835
7590 01/26/2005 Christopher C. Campbell, Esq. Hunton & Williams		EXAMINER	
		ANDERSON, CATHARINE L	
		ARTINIT	PAPER NUMBER
1900 K Street, NW, Suite 1200 Washington, DC 20006-1109			THE ENTY ON DEN
	10/05/2001 00 01/26/2005 Campbell, Esq. ams IW, Suite 1200	10/05/2001 Kenneth John Molee  00 01/26/2005 Campbell, Esq. ams IW, Suite 1200	10/05/2001 Kenneth John Molee 53394.000525  00 01/26/2005 EXAM  Campbell, Esq. ams  IW, Suite 1200 ART UNIT

DATE MAILED: 01/26/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)		
Office Action Comments	09/970,673	MOLEE, KENNETH JOHN		
Office Action Summary	Examin r	Art Unit		
	C. Lynne Anderson	3761		
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address		
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	6(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).		
Status				
1) Responsive to communication(s) filed on 19 Oc	ctober 2004.			
3) Since this application is in condition for allowan	ce except for formal matters, pro	secution as to the merits is		
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.		
Disposition of Claims				
4) Claim(s) 1-26 is/are pending in the application.				
4a) Of the above claim(s) is/are withdraw	n from consideration.			
5) Claim(s) is/are allowed.				
6)⊠ Claim(s) <u>1-26</u> is/are rejected.				
7) Claim(s) is/are objected to.				
8) Claim(s) are subject to restriction and/or	election requirement.			
Application Papers				
9)☐ The specification is objected to by the Examine	r.			
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.				
Applicant may not request that any objection to the o	drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).		
Replacement drawing sheet(s) including the correcti	on is required if the drawing(s) is obj	ected to. See 37 CFR 1.121(d).		
11) ☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.		
Priority under 35 U.S.C. § 119	,			
12) Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a)	n-(d) or (f).		
a) All b) Some * c) None of:	,			
1.☐ Certified copies of the priority documents	s have been received.			
2. Certified copies of the priority documents		on No		
<ol> <li>Copies of the certified copies of the prior application from the International Bureau</li> </ol>	•	ed in this National Stage		
* See the attached detailed Office action for a list of	, ,,	ed		
220 the attached actually control to the list of	2 33.134 33pi33 1101 1300140			
Attachment(s)	·	<i>:</i>		
1) Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)		
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da	ate		
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	6) Other:	atent Application (PTO-152)		

#### **DETAILED ACTION**

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Perdelwitz, Jr. et al. (5,968,855) in view of Ahr et al. (4,323,069).

Perdelwitz discloses all aspects of the claimed invention with the exception of an apertured film disposed between the inner layer and the absorbent core. Perdelwitz discloses an absorbent article 10, as shown in figure 1, comprising a liquid impervious outer layer 12, a liquid pervious inner layer 16, and an absorbent core 14. The absorbent article has a 300 mL rewet under load of less than 1.25 g, as disclosed in column 9, lines 23-45 and table 2. It therefore follows that the rewet under load for only 200 mL would inherently be less than 1.25 g as well.

With respect to the disclosure in the claims of the procedure for determining the rewet under load, the total amount of liquid applied to the article of Perdelwitz, and the pressure applied to the article, are the same as those disclosed in the instant claim. The application of pressure for 20 minutes following each 100 mL insult will remove liquid from the article after each insult, thus resulting is less total liquid present in the article of the present invention at the time of the third insult than the invention of Perdelwitz. It is therefore the examiner's position that the article of Perdelwitz inherently

would meet the 200 mL and 300 mL rewet under load conditions claimed, since the rewet under load procedure disclosed by Perdelwitz results in a larger total volume of liquid present in the article following the third insult, as further described in the Response to Arguments below.

Ahr discloses an absorbent article 10, as shown in figure 2, comprising a liquid impervious outer layer 14, a liquid pervious inner layer 12, and an absorbent core 16. The absorbent article 10 further comprises an aperture film 40 disposed between the inner layer 12 and the absorbent core 16, as disclosed in column 11, lines 35-38. The apertured film 40 comprises a liquid impermeable film surface and a plurality of protrusions extending towards the absorbent core 16, each protrusion terminating in a aperture 46, as shown in figure 5. The addition of the apertured film 40 improves the rewet value of the absorbent article 10 without reducing the strikethrough time, as disclosed in column 12, lines 58-62.

It would therefore be obvious to one of ordinary skill in the art at the time of invention to construct the absorbent article of Perdelwitz with the apertured film of Ahr, in order to further reduce the rewet of the absorbent article without also reducing the strikethrough time.

With respect to claim 2, Ahr discloses a tissue layer 36 surrounding the absorbent core 16 and apertured film 40, as shown in figure 2.

With respect to claim 3, the absorbent article of Perdelwitz further comprises a transfer layer 18 disposed between the inner layer 16 and absorbent core 14, as shown in figure 1.

With respect to claims 4 and 5, the apertured film 40 of Ahr covers substantially all of a surface of the absorbent core 16 and its insult region, as shown in figure 2.

With respect to claim 6, the protrusions of the apertured film 40 of Ahr extend substantially orthogonal to the liquid impermeable film surface, as shown in figure 5.

With respect to claim 7, the protrusions of the apertured film 40 of Ahr are substantially circular, as shown in figure 5.

With respect to claims 8 and 9, the apertured film 40 of Ahr discloses in column 11, lines 61-68, the incorporation by reference of Thompson (3,929,135). Thompson discloses an apertured film having protrusions that are substantially polygonal and rectangular, as disclosed in column 3, lines 46-50.

With respect to claim 10, the area of each protrusion of the apertured film 40 of Ahr is less at the aperture 46 than at the liquid impermeable film surface, as shown in figure 5.

With respect to claims 11-13, the apertured film 40 of Ahr discloses in column 11, lines 61-68, the incorporation by reference of Thompson (3,929,135). Thompson discloses an apertured film having a loft of between 0.08 mm and 4.04 mm, as described in, column 4, lines 58-60.

With respect to claims 14-16, the term "porosity" used in the claims to mean something able to be measured in units of m<sup>3</sup><sub>air</sub>/min m<sup>2</sup><sub>film</sub>. However, the term has an accepted meaning of "a state of being porous" or "the ratio of the volume of interstices of a material to the volume of its mass." Under the accepted definition of the term

"porosity", Ahr discloses the claimed invention. Ahr discloses a film 40 which is apertured, and therefore porous.

With respect to claims 17-19, Perdelwitz discloses a drain rate for the absorbent article, as disclosed in column 9, lines 23-34, but remains silent as to the drain rate for a square meter of the apertured film 40. It would have been obvious to one of ordinary skill in the art at the time of invention to construct the apertured film of Perdelwitz with a drain rate of between about 597 kg/s m<sup>2</sup><sub>film</sub> and about 995 kg/s m<sup>2</sup><sub>film</sub>, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routing skill in the art. In re-Aller, 105 USPQ 233.

With respect to claims 20-23, the absorbent article of Perdelwitz has a 300 mL rewet under load of less than about 0.56 g, as disclosed in column 9, table 2, and therefore has a 200 mL rewet under load of less than about 0.56 g, as well.

With respect to claims 24-26, the absorbent article of Perdelwitz has a rewet value that meets the limitations of the claim. The rewet value is a measure of the amount of liquid that remains on the surface of the absorbent article during the rewet test, and is essentially a measure of the surface wetness. If the absorbent article of Perdelwitz meets the limitations pertaining to the rewet value, it inherently meets the limitations pertaining to the surface wetness.

### Response to Arguments

Applicant's arguments filed 19 October 2004 have been fully considered but they are not persuasive.

In response to the Applicant's argument that the different methods of determining the rewet value will result in different results, it is noted that the Examiner has not alleged the results disclosed by Perdelwitz directly correlate to the results disclosed in the instant specification. Rather, the Examiner maintains that the rewet test method disclosed by Perdelwitz, which involves the same total volume of liquid as the instant test method but does not involve the application of pressure, will result in a rewet value that is higher than the rewet value that will result from the instant test method. Since the absorbent material of Perdelwitz shows a rewet value based on the Perdelwitz test method that is lower than the claimed rewet value, it logically follows that should the absorbent material of Perdelwitz be subjected to the instant test method it would exhibit an even lower rewet value, and thus fall well within the claimed ranges. Perdelwitz therefore inherently discloses the rewet value of the instant claims.

The Examiner bases the allegation that the Perdelwitz test method will result in a higher rewet value than the instant test method for the same material since it is noted that the total amount of liquid applied to the article of Perdelwitz, and the pressure applied to the article, are the same as those disclosed in the instant claim. The application of pressure for 20 minutes following each 100 mL insult and measurement of rewet after each insult, as disclosed in the instant specification, will remove liquid from the article after each insult. At the beginning of each subsequent insult, the total liquid present in the article of Perdelwitz at the beginning of each insult, i.e. before the second 100 mL insult is applied to the instant invention, the total amount of liquid present in the article will be the difference of

the first insult (100 mL) and the first measured rewet value (the amount of liquid removed from the article during measurment). The total amount of liquid present in the article after the third 100 mL insult will be less than 300 mL when using the rewet under load procedure disclosed in the instant invention. Using the rewet under load procedure disclosed by Perdelwitz, however, the total amount of liquid after the third 100 mL insult will be 300 mL. According to the procedure of Perdelwitz, there will be more liquid available to be drawn back out of the article during the rewet test following the third insult, and therefore the procedure of Perdelwitz will result in higher 300 mL rewet values than the procedure of the instant invention. It is therefore the examiner's position that the article of Perdelwitz inherently would meet the 300 mL, and thus also the 200 mL, rewet under load condition claimed.

#### Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Application/Control Number: 09/970,673

Art Unit: 3761

Page 8

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to C. Lynne Anderson whose telephone number is (571)

272-4932. The examiner can normally be reached on Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Larry Schwartz can be reached on (571) 272-4390. The fax phone number

for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

WA cla

January 19, 2005

Larry I. Schwartz
Supervisory Patent Examiner

Group 3700